

MATERIAL SAFETY 3M
 DATA SHEET 3M Center
 St. Paul, Minnesota
 55144-1000
 1-800-364-3577 or (651) 737-6501 (24 hours)

Copyright, 1999, Minnesota Mining and Manufacturing Company.
 All rights reserved. Copying and/or downloading of this
 information for the purpose of properly utilizing 3M products
 is allowed provided that:
 1) the information is copied in full with no changes unless
 prior agreement is obtained from 3M, and
 2) neither the copy nor the original is resold or otherwise
 distributed with the intention of earning a profit thereon.

This material safety data sheet (MSDS) is provided as a courtesy
 in response to a customer request. This product is not regulated
 under, and a MSDS is not required for this product by the OSHA
 Hazard Communication Standard (29 CFR 1910.1200) because, when
 used as recommended or under ordinary conditions, it should not
 present a health and safety hazard. However, use or processing
 of the product not in accordance with the product's
 recommendations or not under ordinary conditions may affect the
 performance of the product and may present potential health and
 safety hazards.

DIVISION: ELECTRONIC HANDLING & PROTECTION DIV
 TRADE NAME:
 2120R/2126R Cushioned Static Shielding Bags/Wrap
 ISSUED: February 03, 1999
 SUPERSEDES: August 26, 1996
 DOCUMENT: 10-9291-5

1. INGREDIENT	C.A.S. NO.	PERCENT
Metallized Film Laminate.....	None	100

IN CASE OF EMERGENCY: THE NUMBERS AT THE TOP OF THIS PAGE PROVIDE 24
 HOUR RESPONSE FROM ANY PHONE FOR ALL EMERGENCIES WITH THIS PRODUCT.

2. PHYSICAL DATA

BOILING POINT:.....	N/A
VAPOR PRESSURE:.....	N/A
VAPOR DENSITY:.....	N/A
EVAPORATION RATE:.....	N/A
SOLUBILITY IN WATER:.....	nil
SPECIFIC GRAVITY:.....	N/D
PERCENT VOLATILE:.....	N/A
pH:.....	N/A
VISCOSITY:.....	N/A
MELTING POINT:.....	N/D

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

2. PHYSICAL DATA (continued)

APPEARANCE AND ODOR:
Plastic film/bag

3. FIRE AND EXPLOSION HAZARD DATA

FLASH POINT:..... N/A
FLAMMABLE LIMITS - LEL:..... N/A
FLAMMABLE LIMITS - UEL:..... N/A
AUTOIGNITION TEMPERATURE:..... N/D

EXTINGUISHING MEDIA:
Water spray, Carbon dioxide, Dry chemical, Foam

SPECIAL FIRE FIGHTING PROCEDURES:
Wear full protective clothing, including helmet, self-contained,
positive pressure or pressure demand breathing apparatus, bunker coat
and pants, bands around arms, waist and legs, face mask, and
protective covering for exposed areas of the head.

UNUSUAL FIRE AND EXPLOSION HAZARDS:
None known.

NFPA HAZARD CODES: HEALTH: 0 FIRE: 0 REACTIVITY: 0
UNUSUAL REACTION HAZARD: none

4. REACTIVITY DATA

STABILITY: Stable

INCOMPATIBILITY - MATERIALS/CONDITIONS TO AVOID:
None known.

HAZARDOUS POLYMERIZATION: Hazardous polymerization will not occur.

HAZARDOUS DECOMPOSITION PRODUCTS:
Carbon Monoxide and Carbon Dioxide.

5. ENVIRONMENTAL INFORMATION

SPILL RESPONSE:
Not applicable.

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

5. ENVIRONMENTAL INFORMATION (continued)

RECOMMENDED DISPOSAL:

Dispose of waste product in a sanitary landfill.

ENVIRONMENTAL DATA:

Not applicable.

REGULATORY INFORMATION:

Volatile Organic Compounds: N/A.

VOC Less H2O & Exempt Solvents: N/D.

EPCRA HAZARD CLASS:

FIRE HAZARD: No PRESSURE: No REACTIVITY: No ACUTE: No CHRONIC: No

6. SUGGESTED FIRST AID

EYE CONTACT:

No need for first aid is anticipated.

SKIN CONTACT:

No need for first aid is anticipated.

INHALATION:

No need for first aid is anticipated.

IF SWALLOWED:

No need for first aid is anticipated.

7. PRECAUTIONARY INFORMATION

EYE PROTECTION:

Not applicable.

SKIN PROTECTION:

Not applicable.

RECOMMENDED VENTILATION:

Provide appropriate local exhaust when product is heated.

RESPIRATORY PROTECTION:

Avoid breathing of thermal decomposition products. Avoid breathing of dust created by cutting, sanding or grinding.

PREVENTION OF ACCIDENTAL INGESTION:

Not an expected route of exposure.

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

7. PRECAUTIONARY INFORMATION (continued)

RECOMMENDED STORAGE:

Store below 95 degrees F (35 degrees C) and below 95% R.H.

FIRE AND EXPLOSION AVOIDANCE:

Not applicable.

EXPOSURE LIMITS

INGREDIENT	VALUE	UNIT	TYPE	AUTH	SKIN*
Metallized Film Laminate.....	NONE	NONE	NONE	NONE	

* SKIN NOTATION: Listed substances indicated with 'Y' under SKIN refer to the potential contribution to the overall exposure by the cutaneous route including mucous membrane and eye, either by airborne or, more particularly, by direct contact with the substance. Vehicles can alter skin absorption.

SOURCE OF EXPOSURE LIMIT DATA:

- NONE: None Established

8. HEALTH HAZARD DATA

EYE CONTACT:

Eye contact is not expected to occur during normal use of the product.

SKIN CONTACT:

No adverse health effects are expected from skin contact.

INHALATION:

Vapors of heated material may cause respiratory system irritation.

IF SWALLOWED:

Ingestion is not a likely route of exposure to this product.

OTHER HEALTH HAZARD INFORMATION:

This product, when used under reasonable conditions or in accordance with the 3M directions for use, should not present a health and safety hazard. However, use or processing of the product in a manner not in accordance with the product's directions for use may affect the performance of the product and may present potential health and safety hazards.

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

SECTION CHANGE DATES

HEADING	SECTION CHANGED SINCE August 26, 1996	ISSUE
INGREDIENTS	SECTION CHANGED SINCE August 26, 1996	ISSUE
PHYSICAL DATA	SECTION CHANGED SINCE August 26, 1996	ISSUE
FIRE AND EXPL.	SECTION CHANGED SINCE August 26, 1996	ISSUE
REACTIVITY DATA	SECTION CHANGED SINCE August 26, 1996	ISSUE
ENVIRONMENTAL INFO.	SECTION CHANGED SINCE August 26, 1996	ISSUE
SUGG. FIRST AID	SECTION CHANGED SINCE August 26, 1996	ISSUE
PRECAUTIONARY INFO.	SECTION CHANGED SINCE August 26, 1996	ISSUE
HEALTH HAZARD DATA	SECTION CHANGED SINCE August 26, 1996	ISSUE

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

The information in this Material Safety Data Sheet (MSDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the MSDS available directly from 3M.