MATERIAL SAFETY

3M

DATA SHEET

3M Center

St. Paul, Minnesota

55144-1000

1-800-364-3577 or (651) 737-6501 (24 hours)

Copyright, 2001, Minnesota Mining and Manufacturing Company. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that:

- 1) the information is copied in full with no changes unless prior agreement is obtained from 3M, and
- 2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

This material safety data sheet (MSDS) is provided as a courtesy in response to a customer request. This product is not regulated under, and a MSDS is not required for this product by the OSHA Hazard Communication Standard (29 CFR 1910.1200) because, when used as recommended or under ordinary conditions, it should not present a health and safety hazard. However, use or processing of the product not in accordance with the product's recommendations or not under ordinary conditions may affect the performance of the product and may present potential health and safety hazards.

DIVISION: INDUSTRIAL TAPE AND SPECIALTIES DIVISION TRADE NAME:

3M(tm) 2380 PERFORMANCE MASKING TAPE.

TD NUMBER/U.P.C.:

70-0062-8589-7 00-21200-44586-6

ISSUED: April 12, 2001 SUPERSEDES: April 12, 2000

DOCUMENT: 09-5955-1

1. INGREDIENT C.A.S. NO. PERCENT

This product is an article as defined by TSCA regulations, and is exempt from TSCA Inventory listing requirements.

2. PHYSICAL DATA

BOILING POINT: ... N/A
VAPOR PRESSURE: ... N/A
VAPOR DENSITY: ... N/A
EVAPORATION RATE: ... N/A

MSDS: 3M(tm) 2380 PERFORMANCE MASKING TAPE. April 12, 2001 PAGE 2 ______ 2. PHYSICAL DATA (continued) ______ SOLUBILITY IN WATER:..... N/A PERCENT VOLATILE:..... N/D pH:..... N/A VISCOSITY:......N/A MELTING POINT:..... N/D APPEARANCE AND ODOR: Roll of Tape, tan color, no significant odor. 3. FIRE AND EXPLOSION HAZARD DATA ______ FLASH POINT:..... N/A FLAMMABLE LIMITS - LEL:..... N/A FLAMMABLE LIMITS - UEL:..... N/A AUTOIGNITION TEMPERATURE:..... N/D EXTINGUISHING MEDIA: Water, Water spray, Carbon dioxide, Dry chemical, Dry powder SPECIAL FIRE FIGHTING PROCEDURES: Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head. UNUSUAL FIRE AND EXPLOSION HAZARDS: No unusual fire or explosion hazards are anticipated. NFPA HAZARD CODES: HEALTH: 1 FIRE: 0 REACTIVITY: 0 UNUSUAL REACTION HAZARD: none OSHA FIRE HAZARD CLASS: Not applicable 4. REACTIVITY DATA STABILITY: Stable INCOMPATIBILITY - MATERIALS/CONDITIONS TO AVOID: None known. HAZARDOUS POLYMERIZATION: Hazardous polymerization will not occur.

MSDS: 3M(tm) 2380 PERFORMANCE MASKING TAPE. April 12, 2001 PAGE 3 ______ 4. REACTIVITY DATA (continued) ______ HAZARDOUS DECOMPOSITION PRODUCTS: Carbon Monoxide and Carbon Dioxide. 5. ENVIRONMENTAL INFORMATION ______ SPILL RESPONSE: Not applicable. RECOMMENDED DISPOSAL: Incinerate in an industrial or commercial facility in the presence of a combustible material. Disposal alternative: Dispose of waste product in a sanitary landfill. ENVIRONMENTAL DATA: Not determined. REGULATORY INFORMATION: Volatile Organic Compounds: N/A. VOC Less H2O & Exempt Solvents: N/A. Since regulations vary, consult applicable regulations or authorities before disposal. U.S. EPA Hazardous Waste Number = None (Not U.S. EPA Hazardous). EPCRA HAZARD CLASS: FIRE HAZARD: NO PRESSURE: NO REACTIVITY: NO ACUTE: NO CHRONIC: NO 6. SUGGESTED FIRST AID EYE CONTACT: No need for first aid is anticipated. SKIN CONTACT: No need for first aid is anticipated. If signs/symptoms occur, remove person to fresh air. If signs/symptoms continue, call a physician. IF SWALLOWED: No need for first aid is anticipated.

MSDS: 3M(tm) 2380 PERFORMANCE MASKING TAPE.
April 12, 2001

PAGE 4

7. PRECAUTIONARY INFORMATION

EYE PROTECTION:

Avoid eye contact.

SKIN PROTECTION:

Avoid prolonged or repeated skin contact.

RECOMMENDED VENTILATION:

Use in a well-ventilated area.

RESPIRATORY PROTECTION:

Avoid breathing of thermal decomposition products.

PREVENTION OF ACCIDENTAL INGESTION:

Wash hands after handling and before eating. Do not ingest.

RECOMMENDED STORAGE:

Store in a cool place. Store out of direct sunlight.

FIRE AND EXPLOSION AVOIDANCE:

Keep away from heat, sparks, open flame, and other sources of ignition.

HMIS HAZARD RATINGS: HEALTH: 1 FLAMMABILITY: 0 REACTIVITY: 0 PERSONAL PROTECTION: A

EXPOSURE LIMITS

INGREDIENT	VALUE	UNIT	TYPE	AUTH	SKIN*
CREPE PAPER BACKING NATURAL/SYNTHETIC BLEND ADHESIVE	NONE NONE	NONE NONE	NONE NONE	NONE NONE	

* SKIN NOTATION: Listed substances indicated with 'Y' under SKIN refer to the potential contribution to the overall exposure by the cutaneous route including mucous membrane and eye, either by airborne or, more particularly, by direct contact with the substance. Vehicles can alter skin absorption.

SOURCE OF EXPOSURE LIMIT DATA:

- NONE: None Established

8. HEALTH HAZARD DATA

EYE CONTACT:

Contact with the eyes during product use is not expected to result in significant irritation.

April 12, 2001 PAGE 5

8. HEALTH HAZARD DATA (continued)

SKIN CONTACT:

Contact with the skin during product use is not expected to result in significant irritation.

TNHALATTON:

This product may have a characteristic odor; however, no adverse health effects are anticipated.

Health effects from inhalation are not expected unless the product is over heated and decomposition occurs.

If thermal decomposition occurs:

Irritation (upper respiratory): signs/symptoms can include soreness of the nose and throat, coughing and sneezing.

IF SWALLOWED:

No adverse health effects are expected from swallowing.

SECTION CHANGE DATES

HEADING SECTION CHANGED SINCE April 12, 2000 ISSUE

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

The information in this Material Safety Data Sheet (MSDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the MSDS available directly from 3M.