MATERIAL SAFETY 3M

DATA SHEET 3M Center

St. Paul, Minnesota

55144-1000

1-800-364-3577 or (651) 737-6501 (24 hours)

Copyright, 2001, Minnesota Mining and Manufacturing Company. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that:

- 1) the information is copied in full with no changes unless prior agreement is obtained from 3M, and
- 2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

DIVISION: ELECTRICAL PRODUCTS DIVISION

TRADE NAME:

3M ELECTRICAL TAPE 44, 44-10, 44-18, 55, MR94, MR94B, 44D, 44S, 44T ID NUMBER/U.P.C.:

 $80-6109-8337-3 \\ 00-54007-04253-2 \\ 80-6109-8338-1 \\ 00-54007-04254-9$

80-6109-8339-9 00-54007-04255-6

ISSUED: October 02, 2001 SUPERSEDES: June 17, 1998

DOCUMENT: 07-8577-4

1. INGREDIENT	C.A.S. NO.				
RUBBER THERMOSET ADHESIVE	Unknown	50	- 70		
POLYESTER FILM/MAT	Unknown	30	- 50		
0 DYWGGGI DID					
2. PHYSICAL DATA					
BOILING POINT:N/A					
VAPOR PRESSURE:N/A					
III DOD DENIGERIA.					

 VAPOR PRESSURE:
 N/A

 VAPOR DENSITY:
 N/A

 EVAPORATION RATE:
 N/A

 SOLUBILITY IN WATER:
 nil

 SPECIFIC GRAVITY:
 N/D

 PERCENT VOLATILE:
 0 %

 pH:
 N/A

 VISCOSITY:
 N/A

 MELTING POINT:
 N/D

APPEARANCE AND ODOR: Roll of Tape

MSDS: 3M ELECTRICAL TAPE 44, 44-10, 44-18, 55, MR94, MR94B, 44D, 44S, 44T October 02, 2001 PAGE 2
3. FIRE AND EXPLOSION HAZARD DATA
FLASH POINT:
EXTINGUISHING MEDIA: Water spray, Carbon dioxide, Dry chemical, Foam
SPECIAL FIRE FIGHTING PROCEDURES: Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.
UNUSUAL FIRE AND EXPLOSION HAZARDS: None known.
NFPA HAZARD CODES: HEALTH: 0 FIRE: 0 REACTIVITY: 0 UNUSUAL REACTION HAZARD: none
OSHA FIRE HAZARD CLASS: Not applicable
4. REACTIVITY DATA
STABILITY: Stable
INCOMPATIBILITY - MATERIALS/CONDITIONS TO AVOID: None known.
HAZARDOUS POLYMERIZATION: Hazardous polymerization will not occur.
HAZARDOUS DECOMPOSITION PRODUCTS: Carbon Monoxide and Carbon Dioxide.
5. ENVIRONMENTAL INFORMATION
SPILL RESPONSE: Not applicable.
RECOMMENDED DISPOSAL: Dispose of waste product in a sanitary landfill.
ENVIRONMENTAL DATA: Not determined.
Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

MSDS: 3M ELECTRICAL TAPE 44, 44-10, 44-18, 55, MR94, MR94B, 44D, 44S, 44T October 02, 2001 PAGE 3

5. ENVIRONMENTAL INFORMATION (continued)

REGULATORY INFORMATION:

Volatile Organic Compounds: 0 %.
VOC Less H2O & Exempt Solvents: 0 %.

Since regulations vary, consult applicable regulations or authorities before disposal.

EPCRA HAZARD CLASS:

FIRE HAZARD: NO PRESSURE: NO REACTIVITY: NO ACUTE: NO CHRONIC: NO

6. SUGGESTED FIRST AID

EYE CONTACT:

Immediately flush eyes with large amounts of water. Get immediate medical attention.

SKIN CONTACT:

If skin contact with hot material occurs: DO NOT ATTEMPT TO REMOVE MOLTEN MATERIAL. Immediately flush affected area with plenty of cold water and cover with a clean dressing. Have burn treated by a physician.

INHALATION:

If signs/symptoms occur, remove person to fresh air. If signs/symptoms continue, call a physician.

IF SWALLOWED:

Drink two glasses of water. Call a physician.

7. PRECAUTIONARY INFORMATION

EYE PROTECTION:

Avoid eye contact.

SKIN PROTECTION:

Avoid skin contact with hot material.

RECOMMENDED VENTILATION:

Provide appropriate local exhaust for heat curing. If exhaust ventilation is not available, use appropriate respiratory protection.

RESPIRATORY PROTECTION:

Avoid breathing of vapors created during the cure cycle. Select one of the following NIOSH approved respirators based on airborne concentration of contaminants and in accordance with OSHA regulations: half-mask organic vapor respirator.

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

MSDS: 3M ELECTRICAL TAPE 44, 44 October 02, 2001	-10, 44-18, 5	5, MR94, MR94B,	44D, 44S,	4
7. PRECAUTIONARY INFORMATION	(continue	d)		
PREVENTION OF ACCIDENTAL INGEST Wash hands after handling and		g.		

RECOMMENDED STORAGE:

Store at temperature and conditions as recommended on product literature.

FIRE AND EXPLOSION AVOIDANCE: Not applicable.

EXPOSURE LIMITS

INGREDIENT	VALUE	UNIT	TYPE	AUTH	SKIN*
RUBBER THERMOSET ADHESIVE	NONE	NONE	NONE	NONE	
POLYESTER FILM/MAT	NONE	NONE	NONE	NONE	

* SKIN NOTATION: Listed substances indicated with 'Y' under SKIN refer to the potential contribution to the overall exposure by the cutaneous route including mucous membrane and eye, either by airborne or, more particularly, by direct contact with the substance. Vehicles can alter skin absorption.

SOURCE OF EXPOSURE LIMIT DATA:

- NONE: None Established

8. HEALTH HAZARD DATA

EYE CONTACT:

Vapors from heated material may cause eye irritation.

SKIN CONTACT:

Skin Burns (thermal, from contact with hot material): signs/symptoms can include burning pain, red and swollen skin, and blisters.

INHALATION:

Vapors of heated material may cause respiratory system irritation.

Ingestion is not a likely route of exposure to this product.

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

MSDS: 3M ELECTRICAL TAPE 44, 44-10, 44-18, 55, MR94, MR94B, 44D, 44S, 44T October 02, 2001 PAGE 5

SECTION CHANGE DATES

HEADING

SECTION CHANGED SINCE June 17, 1998

ISSUE

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

The information in this Material Safety Data Sheet (MSDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the MSDS available directly from 3M.