#### **PS6020**

20 outlets 15-ft. cord

Convenient and safe covered, on/off switch 60" length

15-amp circuit breaker

### **DESCRIPTION**

Tripp Lite's PS6020 power strip offers 15 amp, 120V multi-outlet AC power distribution in a convenient 60 inch mountable housing. Offers horizontal or vertical power distribution in rackmount, raceway and workbench applications. Includes 20 NEMA 5-15R output receptacles with 2.795 inch center-to-center spacing, 15 ft AC line cord and lighted power switch with locking transparent cover to prevent accidental shutoff. Sturdy all-metal extruded aluminum housing stands up to demanding network, laboratory or factory environments.

INPUT / OUTPUT: Input: NEMA 5-15P / Output: 20 NEMA 5-15R

ELECTRICAL: 120V AC, 50/60Hz, 15A

FORMAT: 60 in. corded, mountable power strip

#### **KEY BUYING POINTS**

- Sturdy all-metal 60 inch corded strip format with 2.795 inch center-to-center outlet spacing
- Included mounting hardware supports vertical or horizontal mounting in rack enclosures, raceways and more
- Includes 20 NEMA 5-15R output receptacles
- Ideal for horizontal or vertical raceway style power distribution in office, workbench, industrial, networking and telecom applications
- Lighted power switch with locking transparent cover prevents accidental shutoff
- 15 amp electrical capacity with circuit breaker
- 120V AC, 50/60Hz electrical compatibility
- Lifetime warranty

#### TYPICAL APPLICATIONS

Offers vertical or horizontal multi-outlet power distribution in rack enclosures, raceways, desktops and more.

# **PACKAGE INCLUDES**

- PS6020
- Mounting hardware
- Instruction manual

## **COMPLETE SPECIFICATIONS**

SYSTEM OVERVIEW	
System overview:	5 ft. vertical power strip, includes mounting clips
Voltage compatibility:	120VAC
Frequency compatibility:	50/60 Hz
OUTPUT	

Outlet quantity / type: 20 Nema 5-15R  Outlet spacing: 2.795 in.  INPUT  Input connection type: Nema 5-15P  Input cord length (ft.): 15  Input cord length (m): 4.572  Input plug features: Black  Input cord gauge, type: 14/3 SJT  Recommended electrical service: 15A 120V  LEDS ALARMS & SWITCHES  Switches: Lighted 2 position switch controls power to all outlets  Locking switch cover: Transparent on/off switch cover prevents accidental turn-off  PHYSICAL  Unit weight (lbs): 5.0		
Outlet quantity / type: 20 Nema 5-15R  Outlet spacing: 2.795 in.  INPUT  Input connection type: Nema 5-15P  Input cord length (ft.): 15  Input cord length (m): 4.572  Input plug features: Black Input cord gauge, type: 14/3 SJT  Recommended electrical service: 15A 120V  LEDS ALARMS & SWITCHES  Switches: Lighted 2 position switch controls power to all outlets  Locking switch cover: Transparent on/off switch cover prevents accidental turn-off  PHYSICAL  Unit weight (lbs): 5.0	Output volt amp capacity (amps):	15A
Outlet spacing: 2.795 in.  INPUT  Input connection type: Nema 5-15P  Input cord length (ft.): 15  Input cord length (m): 4.572  Input plug features: Black  Input cord gauge, type: 14/3 SJT  Recommended electrical service: 15A 120V  LEDS ALARMS & SWITCHES  Switches: Lighted 2 position switch controls power to all outlets  Locking switch cover: Transparent on/off switch cover prevents accidental turn-off  PHYSICAL  Unit weight (lbs): 5.0	Output watt capacity (watts):	1800
INPUT  Input connection type: Input cord length (ft.): Input cord length (m): Input cord length (m): Input plug features: Input plug features: Input cord gauge, type: Input cord gauge, type: IsA 120V  LEDS ALARMS & SWITCHES  Switches: Lighted 2 position switch controls power to all outlets  Locking switch cover: Transparent on/off switch cover prevents accidental turn-off  PHYSICAL Unit weight (lbs):  Nema 5-15P  Nema 5-15P  Is Input cord length (ft.): Is	Outlet quantity / type:	20 Nema 5-15R
Input connection type: Input cord length (ft.): Input cord length (m): Input cord length (m): Input plug features: Input cord gauge, type: Input cord gauge, type: It // 3 SJT  Recommended electrical service: It // 3 SJT  Recommended electrical service: It // 4 SJT  Recommended electrical service: It // 4 SJT  Recommended electrical service: It // 4 SJT  Lighted 2 position switch controls power to all outlets  Locking switch cover: Transparent on/off switch cover prevents accidental turn-off  PHYSICAL  Unit weight (lbs):  5.0	Outlet spacing:	2.795 in.
Input cord length (ft.): Input cord length (m): Input plug features: Input plug features: Input cord gauge, type: It 4/3 SJT  Recommended electrical service: It 5A 120V  LEDS ALARMS & SWITCHES  Switches: Lighted 2 position switch controls power to all outlets  Locking switch cover: Transparent on/off switch cover prevents accidental turn-off  PHYSICAL  Unit weight (lbs):  15  15  15  15  15  15  15  15  15  1	INPUT	
Input cord length (m):  Input plug features:  Input cord gauge, type:  14/3 SJT  Recommended electrical service:  15A 120V  LEDS ALARMS & SWITCHES  Switches:  Lighted 2 position switch controls power to all outlets  Locking switch cover:  Transparent on/off switch cover prevents accidental turn-off  PHYSICAL  Unit weight (lbs):  5.0	Input connection type:	Nema 5-15P
Input plug features: Input cord gauge, type:  14/3 SJT  Recommended electrical service:  15A 120V  LEDS ALARMS & SWITCHES  Switches:  Lighted 2 position switch controls power to all outlets  Locking switch cover:  Transparent on/off switch cover prevents accidental turn-off  PHYSICAL  Unit weight (lbs):  5.0	Input cord length (ft.):	15
Input cord gauge, type:  Recommended electrical service:  15A 120V  LEDS ALARMS & SWITCHES  Switches:  Lighted 2 position switch controls power to all outlets  Transparent on/off switch cover prevents accidental turn-off  PHYSICAL  Unit weight (lbs):  5.0	Input cord length (m):	4.572
Recommended electrical service: 15A 120V  LEDS ALARMS & SWITCHES  Switches: Lighted 2 position switch controls power to all outlets  Locking switch cover: Transparent on/off switch cover prevents accidental turn-off  PHYSICAL  Unit weight (lbs): 5.0	Input plug features:	Black
LEDS ALARMS & SWITCHES  Switches: Lighted 2 position switch controls power to all outlets  Locking switch cover: Transparent on/off switch cover prevents accidental turn-off  PHYSICAL  Unit weight (lbs):  5.0	Input cord gauge, type:	14/3 SJT
Switches:  Lighted 2 position switch controls power to all outlets  Transparent on/off switch cover prevents accidental turn-off  PHYSICAL  Unit weight (lbs):  5.0	Recommended electrical service:	15A 120V
Locking switch cover: Transparent on/off switch cover prevents accidental turn-off  PHYSICAL  Unit weight (lbs): 5.0	LEDS ALARMS & SWITCHES	
PHYSICAL Unit weight (lbs): 5.0	Switches:	Lighted 2 position switch controls power to all outlets
Unit weight (lbs): 5.0	Locking switch cover:	Transparent on/off switch cover prevents accidental turn-off
	PHYSICAL	
Unit weight (kg): 2.27	Unit weight (lbs):	5.0
	Unit weight (kg):	2.27
Unit Dimensions (HWD/in): 1.5 x 1.5 x 60 in.	Unit Dimensions (HWD/in):	1.5 x 1.5 x 60 in.
Unit Dimensions (HWD/cm): 3.8 x 3.8 x 152.4	Unit Dimensions (HWD/cm):	3.8 x 3.8 x 152.4
Material of construction: Aluminum	Material of construction:	Aluminum
Form factors supported:  Supports vertical or horizontal mounting in rack enclosures, raceways and a variety of other applications	Form factors supported:	
Mounting accessories included: Includes mounting clips	Mounting accessories included:	Includes mounting clips
Housing color: Silver	Housing color:	Silver
Receptacle color: Black	Receptacle color:	Black
AC line cord color: Black	AC line cord color:	Black
CERTIFICATIONS	CERTIFICATIONS	
<b>UL1363 (Power Tap):</b> UL1363	UL1363 (Power Tap):	UL1363
cUL / CSA (Canada): cUL	cUL / CSA (Canada):	cUL
WARRANTY	WARRANTY	
Product warranty: Lifetime	Product warranty:	Lifetime

The policy of Tripp Lite is one of continuous improvement.

Specifications are subject to change without notice.

Therefore, your product may vary slightly from what is currently listed.



Tripp Lite World Headquarters 1111 W. 35th Street Chicago, IL 60609 USA

> Customer Support (773) 869-1234

© 2004 Tripp Lite. All Rights Reserved.